


MATERIAL SAFETY DATA SHEET



CATHEDRAL STONE® PRODUCTS

In the Lab. In the Field. Innovation.



NFPA 704 DESIGNATION HAZARD RATING

4 = Extreme 3 = High 2 = Moderate
1 = Slight 0 = Insignificant

Issue Date: 02/21/2008

Supersedes: 02/12/2008

WHMIS CLASSIFICATION: D2B

PATENT PROTECTED TECHNOLOGY

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: **S-303**

PRODUCT USE: ARCHITECTURAL PAINT REMOVER

Cathedral Stone Products, Inc.

7266 Park Circle Drive
Hanover, MD 21076
Telephone: (800) 684-0901
Facsimile: (410) 782-9150
www.cathedralstone.com

In case of transportation emergency or product spill, contact:

CHEMTREC @ 800-424-9300 (24 hrs.)
Customer Code: CDTS

2. COMPOSITION & INFORMATION ON INGREDIENTS

<u>Component</u>	<u>% weight</u>	<u>CAS #</u>	<u>SARA Title III Section 313</u>	<u>RCRA</u>	<u>CARCINOGENICITY (As per 29CFR 1910-1200)</u>
Aromatic Alcohol	15-40	100-51-6	No	No	No
Propylene Glycol	1-5	57-55-6	No	No	No
Triethanolamine	1-5	102-71-6	No	No	No

NO HAP's OR TAP's ARE IN THIS PRODUCT.

All components are listed in the TSCA inventory (U.S.) and on the DSL (Canada).
The above information is based on component manufacturer's Material Safety Data Sheets.

3. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Light yellow emulsion	Bulk Density	Not determined
Odor	Specific	Vapor Pressure	Not determined
Odor Threshold	N/A	Vapor Density	Not determined
Molecular Formula	Mixture	Evaporation Rate (n-Butyl Acetate=1)	< 1
Molecular Weight	N/A	VOC content	73.2 g/l (0.61 lbs/gal)
Boiling Point	Not determined	% Volatiles	Greater than 90
Freezing Point	Not determined	Solubility in Water	Dispersible
Specific Gravity	1.00	Viscosity (cPs)	25000-40000
Density (lbs/gal)	8.34	pH	9-11

4. STABILITY & REACTIVITY

GENERAL:	This product is stable and hazardous polymerization will not occur.
CONDITIONS TO AVOID:	Hot or cold storage.
INCOMPATIBLE MATERIAL:	Strong oxidizers, acids and alkalies.
HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition (combustion) will produce carbon monoxide and dioxide.
SENSITIVITY TO MECHANICAL IMPACT:	This product is not sensitive to mechanical impact.
SENSITIVITY TO STATIC DISCHARGE:	This product is not sensitive to static discharge.

9. HANDLING AND STORAGE

STORAGE TEMPERATURE: 4 - 30 °C (39 - 86° F)

STORAGE PRESSURE: Ambient

GENERAL: Store in a well ventilated area away from incompatibles. Do not mix with any other chemicals. Keep container closed when not in use. should be thoroughly rinsed with water and disposed of according to local regulations.

Cautionary Note: Care should be exercised when moving in or around product application areas (particularly oversprayed areas) as contacted surfaces become very slippery.

10. ACCIDENTAL RELEASE MEASURES

LAND SPILL: Wear recommended protective clothing, dike spill using soil, sand or compatible commercial absorbent. Pick up bulk of product using pumps or vacuum truck or absorb product in sand or commercial absorbent. Place in approved containers for recovery or disposal. Flush spill area with water, collect rinsates and containerize for disposal. Prevent runoff from contaminating storm sewers, streams or other bodies of fresh water. Rinsates may be disposed of in sewers leading to a municipal or city treatment facility or an internal treatment facility.

WATER SPILL: Stop or divert water flow. Dike contaminated water and remove from disposal and/or treatment. Notify all downstream users of possible contamination.

11. DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Not Classified

U.S. EPA WASTE NUMBER/DESCRIPTION: None

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. As a non-hazardous liquid waste, it should be disposed of in accordance with all local, state or provincial, and federal regulations. Consult state or provincial or local officials for proper disposal method.

12. TRANSPORTATION INFORMATION

S-303 is NOT regulated as a hazardous material under the regulations of the U.S. DOT, IMDG or in Canada TDG.

This Material Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Cathedral Stone Products, Inc. assumes legal responsibility. While Cathedral Stone Products, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, provincial and local regulations.